



Jiangsu Weixiang Tool Manufacturing Co.,Ltd.

Address: Dagang Guanghua Industrial Park
Zhenjiang New District, Jiangsu Province, China
TEL: (+86)0511-83373758 FAX: (+86)0511-83372830
WhatsApp: (+86)18306105100
E-mail: info@weixtool.com

For more information, please contact us to
provide you with more accurate products.



PROFESSIONAL CUTTING TOOLS

ENTERPRISE INTRODUCE

企业简介

JIANGSU WEIXIANG TOOL MANUFACTURING CO., LTD. IS A COMPREHENSIVE TOOL MANUFACTURER AND DISTRIBUTOR INTEGRATING PRODUCTION, SALES AND R & D. THE COMPANY HAS 30 YEARS OF EXPERIENCE IN THE PRODUCTION AND SALES OF CEMENTED CARBIDE CUTTING TOOLS. HIGH-QUALITY REPUTATION, EXCELLENT PRODUCT QUALITY AND HIGH COST PERFORMANCE ARE THE FUNDAMENTAL REASONS FOR THE COMPANY'S SURVIVAL AND DEVELOPMENT. THE COMPANY IS LOCATED IN DAGANG ECONOMIC DEVELOPMENT ZONE, A BOOMING NATIONAL ECONOMIC DEVELOPMENT ZONE BESIDE THE BEAUTIFUL YANGTZE RIVER. IT IS ONLY 5 KILOMETERS AWAY FROM THE ENTRANCE OF ZHENTAI EXPRESSWAY. IT HAS MORE THAN 10 IMPORTED FIVE AXIS CNC MACHINING CENTERS SUCH AS WALTER AND ANCA, AND USES ADVANCED GERMAN ZOLLER TESTING EQUIPMENT. THOUSANDS OF PRODUCTS AND SPECIFICATIONS ARE IN STOCK TO ENSURE THAT CUSTOMERS ORDER WHAT THEY NEED. DOMESTIC SALES OUTLETS IN JINAN, WUXI AND KUNSHAN, DONGGUAN, CHENGDU AND OTHER PLACES. AT THE SAME TIME THE COMPANY HAS 10 YEARS OF FOREIGN TRADE EXPERIENCE. PRODUCTS ARE EXPORTED TO EUROPE AND THE UNITED STATES, SOUTHEAST ASIA AND OTHER COUNTRIES. THE COMPANY CONTINUES TO SELECT THE EXISTING COMPLEX CUTTING TOOL PRODUCTION LINE, INCREASE PRODUCT VARIETIES, SPECIFICATIONS, IMPROVE PRODUCT GRADE, AND MAKE OUR EFFORTS FOR THE LOCALIZATION OF FIRST-CLASS CUTTING TOOLS. IN THE COMPETITIVE ENVIRONMENT FULL OF FOREIGN SUPPLIERS, ONLY SUCH SERVICES CAN ACHIEVE SUSTAINABLE DEVELOPMENT. THE COMPANY HAS PASSED THE ISO9001 QUALITY MANAGEMENT SYSTEM TO PROVIDE MORE SCIENTIFIC AND STANDARDIZED MANAGEMENT ASSURANCE FOR THE PRODUCT QUALITY OF THE COMPANY. MAIN PRODUCTS: END MILLING CUTTER, BALL END MILLING CUTTER, ROUND NOSE CUTTER, DEEP GROOVE CUTTER FOR INTEGRAL ALLOY DIE STEEL; SPECIAL MILLING CUTTER FOR ALUMINUM ALLOY, SPECIAL CUTTER FOR STAINLESS STEEL; DRILLING CUTTER (TWIST DRILL, CENTERING DRILL, CENTER DRILL), ETC., AND UNDERTAKE ALL KINDS OF NON-STANDARD CUTTER CUSTOMIZATION. THE COMPANY GUARANTEES TO GUARANTEE THE QUALITY WITHIN THE SHORTEST DELIVERY TIME, AND REFUND THE UNSATISFIED RETURNS. WELCOME TO THE PROCESSING OF INCOMING MATERIALS AND SAMPLES. A LARGE AMOUNT OF DISCOUNT.

江苏维香工具制造有限公司是一家集生产、销售、研发于一体的综合性刀具制造销售商。公司拥有30年的整体硬质合金刀具生产和销售经验,优质的信誉、过硬的产品质量和高性价比是公司生存和发展的根本原因。公司地处美丽的长江边的蓬勃发展的国家级经济开发区一大港经济开发区,邻镇泰高速公路入口仅5公里,拥有瓦尔特(WALTER)和安卡(ANCA)等全进口五轴数控加工中心十余台,使用先进德国ZOLLER检测设备。库存上千种产品和规格,以保证客户订购所需。国内销售门市在济南、无锡和昆山、东莞、成都等地。同时公司已有10年外贸经验,产品远销欧美、东南亚等国家。公司不断对现有的复杂刀具生产线进行改造,增加产品品种、规格,提高产品档次,为一流刀具的国产化做出我们的努力。在充斥着国外供应商的竞争环境中,唯有这样的服务才达到可持续发展的发

展。公司已通过ISO9001质量管理体系,为公司的产品质量提供更加科学、规范的管理保证。主要产品:整体合金模具钢用立铣刀、球头铣刀、圆鼻刀、深沟刀;铝合金专用铣刀、不锈钢专用刀、钻削刀具(麻花钻、定心钻、中心钻)等,并承接各种非标刀具定做。公司保证在最短交货期内,保证质量,不满意退货退款。欢迎来料、来样加工,量大优惠。



CONSULTING ORDERS
咨询下单

SERVICE

专业 负责 耐心 细致



AFTER SALE
售后服务

PROFESSIONAL

质量保证 尺寸精准



CUSTOM PRODUCTION
定制生产

NO WORRIES

提供售后解决方案

WEIX QUALITY

先进的数控设备
严谨的生产制造

COMPREHENSIVE CARBIDE TOOL
MANUFACTURER WITH PRODUCTION

综合性刀具制造销售商



目录

CONTENTS

Alloy tool 合金工具

Solid carbide three flutes up&down bits	01
三刃复合铣刀	
Solid carbide two flutes up&down bits with nano blue	02
蓝纳米双刃复合刀	
Solid carbide three flutes roughing milling cutter	03
三刃粗皮刀	
Solid carbide three flutes Ripple Roughing milling cutter	04
复合波纹粗铣刀	
Two flutes V groove engraving bits	05
3D V槽刀	
Solid carbide one flute spiral bits	06
木工单刃螺旋铣刀	
Solid carbide two flutes ball nose spiral bits	07
二刃螺旋球头铣刀	
Solid carbide two flutes up&down bits	08
二刃复合铣刀	
Solid carbide three edges engraving bits	09
三棱尖刀	
Solid carbide three flutes TCT straight slot roughing bit	10
三刃TCT开料刀	
Solid carbide Double flutes straight slot cutter	11
二刃直槽铣刀	
Solid carbide Taper ball nose end mill	12
锥度球头铣刀	
Solid carbide Corn teeth end mill	13
棱齿铣刀	
Solid carbide V engraving bit	14
平底尖刀	

Drill tool 钻头工具


Square hole drill bit	15
方孔钻	
Four flutes crown drill bit	16
四刃皇冠钻	
High performance Four flutes crown drill bit	17
四刃高性能皇冠钻	
Through-hole drill bit	18
通孔排钻	
High performance through-hole drill bit	19
高性能通孔排钻	
High performance through-hole carbide drill bit	20
高性能合金钻	
High performance split type carbide drill bit	21
高性能分体合金钻	
Cleaning bottom router bit	22
清底刀	
Round bottom router bit	23
圆底刀	

HSS tool 高速钢工具

Three flutes 90 degree drill chamfering bit	24
三刃90°倒角刀	

Accessories 配件

Collet	25
夹头	
Wrench	27
扳手	




Code	D Shank Dia	d Flute Dia	I Cutting Length	L Total Length
10363112	3.175	3.175	12	38
10363115	3.175	3.175	15	38
10363117	3.175	3.175	17	38
10363122	3.175	3.175	22	38
10360417	4	4	17	45
10360422	4	4	22	45
10360425	4	4	25	45
10360432	4	4	32	50
10360517	5	5	17	60
10360522	5	5	22	50
10360617	6	6	17	50
10360622	6	6	22	50
10360625	6	6	25	50
10360632	6	6	32	55
10360825	8	8	25	60
10360835	8	8	35	70
10360845	8	8	45	70
10361035	10	10	35	75
10361045	10	10	45	90
10361052	10	10	52	100



WEIX Woodworking Tool Series

蓝纳米双刃复合铣刀 Solid carbide two flutes up&down bits with nano blue



Code	D Shank Dia	d Flute Dia	l Cutting Length	L Total Length
10363112	3.175	3.175	12	38
10363115	3.175	3.175	15	38
10363117	3.175	3.175	17	38
10363122	3.175	3.175	22	38
10360417	4	4	17	45
10360422	4	4	22	45
10360425	4	4	25	45
10360432	4	4	32	50
10360517	5	5	17	60
10360522	5	5	22	50
10360617	6	6	17	50
10360622	6	6	22	50
10360625	6	6	25	50
10360632	6	6	32	55
10360825	8	8	25	60
10360835	8	8	35	70
10360845	8	8	45	70
10361035	10	10	35	75
10361045	10	10	45	90
10361052	10	10	52	100



WEIX Woodworking Tool Series

三刃粗皮铣刀 Solid carbide three flutes roughing milling cutter



Code	D Shank Dia	d Flute Dia	l Cutting Length	L Total Length
10300622	6	6	22	50
10300625	6	6	25	50
10300628	6	6	28	60
10300632	6	6	32	60
10300642	6	6	42	75
10300825	8	8	25	60
10300835	8	8	35	70
10300845	8	8	45	80
10301025	10	10	25	75
10301035	10	10	35	75
10301045	10	10	45	90
10301055	10	10	55	100
10301075	10	10	75	130
10301235	12	12	35	75
10301245	12	12	45	100
10301255	12	12	55	110
10301275	12	12	75	130
103012100	12	12	100	150
103012735	12.7	12.7	35	90
103012745	12.7	12.7	45	100
103012755	12.7	12.7	55	110
103012775	12.7	12.7	75	120
1030127100	12.7	12.7	100	150
10301455	14	14	55	110
10301475	14	14	75	120
10301645	16	16	45	100
10301655	16	16	55	130
10301675	16	16	75	150
103016100	16	16	100	170
10302045	20	20	45	100
10302055	20	20	55	130



WEIX Woodworking Tool Series

复合波纹粗铣刀 Solid carbide three flutes Ripple Roughing milling cutter



Code	D Shank Dia	d Cutting Dia	l Cutting Length	L Total Length
10750417	4	4	17	50
10750617	6	6	17	50
10750825	8	8	25	60
10751035	10	10	35	75
10751230	12	12	30	60
107512760	12.7	12.7	60	100
107512780	12.7	12.7	80	120
10751660	16	16	60	120
10751680	16	16	80	140
10752060	20	20	60	120
10752280	22	22	80	160




WEIX Woodworking Tool Series

3D V槽刀 Two flutes V groove engraving bits



Code	D Shank Dia	d Cutting Dia	A Angle	L Total Length
103361560	6	15	60	14
103361590	6	15	90	14
1033615120	6	15	120	14
1033615135	6	15	135	14
1033615150	6	15	150	14
103362260	6	22	60	14
103362290	6	22	90	14
1033622120	6	22	120	14
1033622135	6	22	135	15
1033622150	6	22	150	14
103363260	6	32	60	20
103363290	6	32	90	20
1033632120	6	32	120	20
1033632135	6	32	135	20
1033632150	6	32	150	20



木工单刃螺旋铣刀

Solid carbide one flute spiral bits



Code	D Shank Dia	d Cutting Dia	l Cutting Length	L Total Length
10063108	3.175	3.175	8	38
10063112	3.175	3.175	12	38
10063115	3.175	3.175	15	38
10063117	3.175	3.175	17	38
10063122	3.175	3.175	22	38
10063125	3.175	3.175	25	45
10063128	3.175	3.175	28	50
10063132	3.175	3.175	32	55
10061507	3.175	1.5	7	38
10061512	3.175	1.5	12	38
10060215	3.175	2	15	38
10060217	3.175	2	17	38
10060222	3.175	2	22	38
10062508	3.175	2.5	8	38
10062512	3.175	2.5	12	38
10062515	3.175	2.5	15	38
10062517	3.175	2.5	17	38
10060412	4	4	12	45
10060417	4	4	17	45
10060422	4	4	22	45
10060425	4	4	25	45
10060428	4	4	28	50
10060432	4	4	32	55
10060442	4	4	42	70
10060452	4	4	52	80
10060517	5	5	17	50
10060522	5	5	22	50
10060525	5	5	25	50
10060528	5	5	28	55
10060532	5	5	32	60
10060612	6	6	12	50
10060617	6	6	17	50
10060622	6	6	22	50
10060625	6	6	25	50
10060628	6	6	28	60
10060632	6	6	32	60
10060642	6	6	42	70
10060652	6	6	52	80
10060662	6	6	62	90

双刃螺旋球头铣刀

Solid carbide two flutes ball nose spiral bits




Code	D Shank Dia	d Cutting Dia	l Cutting Length	L Total length
10173180	3.175	3.175	8	38
10173112	3.175	3.175	12	38
10173115	3.175	3.175	15	38
10173117	3.175	3.175	17	38
10173122	3.175	3.175	22	38
10173125	3.175	3.175	25	45
10173128	3.175	3.175	28	55
10173132	3.175	3.175	32	55
10173110	3.175	1	4	38
1017311570	3.175	1.5	7	38
1017312080	3.175	2	8	38
1017312012	3.175	2	12	38
1017312017	3.175	2	17	38
1017312022	3.175	2	22	45
1017312580	3.175	2.5	8	38
1017312512	3.175	2.5	12	38
1017312517	3.175	2.5	17	38
1017312522	3.175	2.5	22	45
10174012	4	4	12	45
10174017	4	4	17	45
10174022	4	4	22	45
10174025	4	4	25	45
10174028	4	4	28	50
10174032	4	4	32	55
10174042	4	4	42	70
10174052	4	4	52	80
10176012	6	6	12	50
10176017	6	6	17	50
10176022	6	6	22	50
10176025	6	6	25	50
10176028	6	6	28	60
10176032	6	6	32	60
10176042	6	6	42	70
10176052	6	6	52	80
10178025	8	8	25	60
10178032	8	8	32	60
10178042	8	8	42	75
10178052	8	8	52	90
10171032	10	10	32	75
10171042	10	10	42	80
10171052	10	10	52	100
10171062	10	10	62	110

WEIX

Woodworking Tool Series

二刃复合铣刀

Solid carbide two flutes up&down bits




Code	D Shank Dia	d Cutting Dia	I Cutting Length	L Total Length
10363112	3.175	3.175	12	38
10363115	3.175	3.175	15	38
10363117	3.175	3.175	17	38
10363122	3.175	3.175	22	38
10360417	4	4	17	45
10360422	4	4	22	45
10360425	4	4	25	45
10360432	4	4	32	50
10360517	5	5	17	60
10360522	5	5	22	50
10360617	6	6	17	50
10360622	6	6	22	50
10360625	6	6	25	50
10360632	6	6	32	60
10360825	8	8	25	60
10360835	8	8	35	70
10360845	8	8	45	80
10361035	10	10	35	75
10361045	10	10	45	90
10361052	10	10	52	100

WEIX

Woodworking Tool Series

三棱尖刀

Solid carbide three edges engraving bits



Code	D Shank Dia	A Angle	T Tip	L Total Length
1024T01A15	3.175	15	0.1	33
1024T01A20	3.175	20	0.1	33
1024T01A30	3.175	30	0.1	33
1024T01A45	3.175	45	0.1	33
1024T01A60	3.175	60	0.1	33
1024T01A90	3.175	90	0.1	33
1024T01A30M4	4	30	0.1	40
1024T01A45M4	4	45	0.1	40
1024T01A60M4	4	60	0.1	40
1024T01A90M4	4	90	0.1	40
1024T01A30M6	6	30	0.1	50
1024T01A45M6	6	45	0.1	50
1024T01A60M6	6	60	0.1	50
1024T01A90M6	6	90	0.1	50

WEIX

Woodworking Tool Series

三刃定位TCT开料刀

Solid carbide three flutes TCT straight slot roughing bit

Code	D Shank Dia	d Cutting Dia	L Cutting Length
10800620	6	1/2	20
10800622	6	1/2	22
10800625	6	1/2	25
10800628	6	1/2	28
10800630	6	1/2	30
10800820	8	1/2	20
10800822	8	1/2	22
10800825	8	1/2	25
10800828	8	1/2	28
10800830	8	1/2	30

WEIX

Woodworking Tool Series

二刃直槽铣刀

Solid carbide Double flutes straight slot cutter

Code	D Shank Dia	d Cutting Dia	L Cutting Length	L Total Length
10203180	3.175	3.175	8	38
10203112	3.175	3.175	12	38
10203115	3.175	3.175	15	38
10203117	3.175	3.175	17	38
10203122	3.175	3.175	22	45
10203125	3.175	3.175	25	50
10203128	3.175	3.175	28	50
10203132	3.175	3.175	32	55
1020104	3.175	1	4	38
10201516	3.175	1.5	6	38
10200208	3.175	2	8	38
10200212	3.175	2	12	38
10200217	3.175	2	17	38
10202512	3.175	2.5	12	38
10202515	3.175	2.5	15	38
10202517	3.175	2.5	17	38
1020412	4	4	12	45
1020417	4	4	17	45
1020422	4	4	22	45
1020425	4	4	25	50
1020428	4	4	28	50
1020432	4	4	32	55
1020442	4	4	42	65
1020617	6	6	17	50
1020622	6	6	22	50
1020625	6	6	25	50
1020628	6	6	28	60
1020632	6	6	32	60
1020642	6	6	42	70
1020652	6	6	52	80
1020662	6	6	62	100
1020825	8	8	25	60
1020832	8	8	32	60
1020842	8	8	42	75
1020852	8	8	52	90
1020862	8	8	62	100
10201032	10	10	32	75
10201042	10	10	42	80
10201052	10	10	52	100
10201062	10	10	62	110

锥度球头铣刀

Solid carbide Taper ball nose end mill



Code	D Shank Dia	R Radius	I Cutting Length	L Total Length
10280515M4	4	0.25	15	50
10280115M4	4	0.5	15	50
10281515M4	4	0.75	15	50
10280215M4	4	1	15	50
10280520M4	4	0.25	20.5	50
10280120M4	4	0.5	20.5	50
10281520M4	4	0.75	20.5	50
10280220M4	4	1	20.5	50
10285205M4	4	0.25	20.5	75
10281205M4	4	0.5	20.5	75
102815205M4	4	0.75	20.5	75
10282205M4	4	1	20.5	75
10280520M6	6	0.25	20.5	50
10280120M6	6	0.5	20.5	50
10281520M6	6	0.75	20.5	50
10280230M6	6	1	30.5	50
10280530M6	6	0.25	30.5	75
10280130M6	6	0.5	30.5	75
10281530M6	6	0.75	30.5	75
102800230M6	6	1	30.5	75
10280330M6	6	1.5	30.5	75
10280430M6	6	2	30.5	75
10280460M6	6	2	60	100
10280147M8	8	0.5	47	85
10280247M8	8	1	47	85
10280347M8	8	1.5	47	85
10280447M8	8	2	47	85
10280160M8	8	0.5	60	100
10280260M8	8	1	60	100
10280360M8	8	1.5	60	100
10280460M8	8	2	60	100
10280470M10	10	2	70	110
10280470M12	12	2	70	120

棱齿铣刀 (玉米铣刀)

Solid carbide Corn teeth end mill




Code	D Shank Dia	d Cutting Dia	I Cutting Length	L Total Length
100800502	3.175	0.5	2	38
100800802	3.175	0.8	2	38
10080107	3.175	1	7	38
10081207	3.175	1.2	7	38
10081508	3.175	1.5	8	38
10081809	3.175	1.8	9	38
10080210	3.175	2	10	38
10082512	3.175	2.5	12	38
10083112	3.175	3.175	12	38
10083117	3.175	3.175	17	38
10083122	3.175	3.175	22	45
10083125	3.175	3.175	25	45
10080417	4	4	17	45
10080422	4	4	22	45
10080425	4	4	25	50
10080428	4	4	28	50
10080432	4	4	32	55
10080622	6	6	22	50
10080625	6	6	25	50
10080628	6	6	28	60
10080632	6	6	32	60
10080642	6	6	42	75
10080652	6	6	52	85
10080825	8	8	25	60
10080835	8	8	35	75
10080842	8	8	42	75
10080852	8	8	52	90
10081042	10	10	42	100
10081052	10	10	52	100
10081245	12	12	45	100
10081255	12	12	55	100

WEIX

Woodworking Tool Series

平底尖刀

Solid carbide V engraving bit



Code	D Shank Dia	A Angle	T Tip	L Total Length
1022T01A10	3.175	10	0.1	33
1022T02A10	3.175	10	0.2	33
1022T03A10	3.175	10	0.3	33
1022T01A15	3.175	15	0.1	33
1022T02A15	3.175	15	0.2	33
1022T03A15	3.175	15	0.3	33
1022T01A20	3.175	20	0.1	33
1022T02A20	3.175	20	0.2	33
1022T03A20	3.175	20	0.3	33
1022T04A20	3.175	20	0.4	33
1022T05A20	3.175	20	0.5	33
1022T08A20	3.175	20	0.8	33
1022T10A20	3.175	20	1	33
1022T01A30	3.175	30	0.1	33
1022T02A30	3.175	30	0.2	33
1022T03A30	3.175	30	0.3	33
1022T04A30	3.175	30	0.4	33
1022T05A30	3.175	30	0.5	33
1022T08A30	3.175	30	0.8	33
1022T10A30	3.175	30	1	33
1022T01A45	3.175	45	0.1	33
1022T02A45	3.175	45	0.2	33
1022T03A45	3.175	45	0.3	33
1022T04A45	3.175	45	0.4	33
1022T05A45	3.175	45	0.5	33
1022T01A60	3.175	60	0.1	33
1022T02A60	3.175	60	0.2	33
1022T03A60	3.175	60	0.3	33
1022T04A60	3.175	60	0.4	33
1022T05A60	3.175	60	0.5	33
1022T01A90	3.175	90	0.1	33
1022T02A90	3.175	90	0.2	33
1022T03A90	3.175	90	0.3	33
1022T04A90	3.175	90	0.4	33
1022T05A90	3.175	90	0.5	33

WEIX
TERY




WEIX

Woodworking Tool Series

方孔钻

Square hole drill bit




Code	H Hole Size	I Cutting Length	L Total Length
30100645	6	45	175
30106445	6.4	45	175
30100860	8	60	195
30109860	9.5	60	195
30101060	10	60	195
301012560	12.5	60	195
301012765	12.7	65	195
30101475	14	75	220
30101575	15	75	220
30101675	16	75	220
30101875	18	75	220
30101975	19	75	220
30102075	20	75	220
30102275	22	75	220
30102570	25	70	220
30103070	30	70	230




四刃皇冠钻

Four flutes crown drill




Code		D Cutting Dia	L Total Length
Left Rotation	Right Rotation		
10720457L	10730457R	4	57
10720457L	10730457R	5	57
10720457L	10730457R	6	57
10720457L	10730457R	7	57
10720457L	10730457R	8	57
10720457L	10730457R	9	57
10720457L	10730457R	10	57
10720457L	10730457R	11	57
10720457L	10730457R	12	57
10720457L	10730457R	13	57
10720457L	10730457R	14	57
10720457L	10730457R	15	57
10720457L	10730457R	4	70
10720457L	10730457R	5	70
10720457L	10730457R	6	70
10720457L	10730457R	7	70
10720457L	10730457R	8	70
10720457L	10730457R	9	70
10720457L	10730457R	10	70
10720457L	10730457R	11	70
10720457L	10730457R	12	70
10720457L	10730457R	13	70
10720457L	10730457R	14	70
10720457L	10730457R	15	70



四刃高性能皇冠钻

High performance four flutes crown drill




Code		D Cutting Dia	L Total Length
Left Rotation	Right Rotation		
21020457L	21030457R	4	57
21020457L	21030457R	5	57
21020457L	21030457R	6	57
21020457L	21030457R	7	57
21020457L	21030457R	8	57
21020457L	21030457R	9	57
21020457L	21030457R	10	57
21020457L	21030457R	11	57
21020457L	21030457R	12	57
21020457L	21030457R	13	57
21020457L	21030457R	14	57
21020457L	21030457R	15	57
21020457L	21030457R	4	70
21020457L	21030457R	5	70
21020457L	21030457R	6	70
21020457L	21030457R	7	70
21020457L	21030457R	8	70
21020457L	21030457R	9	70
21020457L	21030457R	10	70
21020457L	21030457R	11	70
21020457L	21030457R	12	70
21020457L	21030457R	13	70
21020457L	21030457R	14	70
21020457L	21030457R	15	70




WEIX Woodworking Tool Series

通孔排钻 Through-hole drill bit




Code		D Cutting Dia	L Total Length
Left Rotation	Right Rotation		
10680457L	10680457R	4	57
10680557L	10680557R	5	57
10680657L	10680657R	6	57
10680757L	10680757R	7	57
10680857L	10680857R	8	57
10680957L	10680957R	9	57
10681057L	10681057R	10	57
10681157L	10681157R	11	57
10681257L	10681257R	12	57
10681357L	10681357R	13	57
10681457L	10681457R	14	57
10681557L	10681557R	15	57
10680470L	10680470R	4	70
10680570L	10680570R	5	70
10680670L	10680670R	6	70
10680770L	10680770R	7	70
10680870L	10680870R	8	70
10680970L	10680970R	9	70
10681070L	10681070R	10	70
10681170L	10681170R	11	70
10681270L	10681270R	12	70
10681370L	10681370R	13	70
10681470L	10681470R	14	70
10681570L	10681570R	15	70



WEIX Woodworking Tool Series

高性能通孔排钻 High performance through-hole drill bit



Code		D Cutting Dia	L Total Length
Left Rotation	Right Rotation		
10690457L	10690457R	4	57
10690557L	10690557R	5	57
10690657L	10690657R	6	57
10690757L	10690757R	7	57
10690857L	10690857R	8	57
10690957L	10690957R	9	57
10691057L	10691057R	10	57
10691157L	10691157R	11	57
10691257L	10691257R	12	57
10691357L	10691357R	13	57
10691457L	10691457R	14	57
10691557L	10691557R	15	57
10690470L	10690470R	4	70
10690570L	10690570R	5	70
10690670L	10690670R	6	70
10690770L	10690770R	7	70
10690870L	10690870R	8	70
10690970L	10690970R	9	70
10691070L	10691070R	10	70
10691170L	10691170R	11	70
10691270L	10691270R	12	70
10691370L	10691370R	13	70
10691470L	10691470R	14	70
10691570L	10691570R	15	70





WEIX

Woodworking Tool Series

高性能合金钻

High performance through-hole carbide drill bit



Code		D Cutting Dia	L Total Length
Left Rotation	Right Rotation		
10700357L	10700357R	3	57
10700457L	10700457R	4	57
10700557L	10700557R	5	57
10700657L	10700657R	6	57
10700757L	10700757R	7	57
10700857L	10700857R	8	57
10700957L	10700957R	9	57
10701057L	10701057R	10	57
10701157L	10701157R	11	57
10701257L	10701257R	12	57
10701357L	10701357R	13	57
10701457L	10701457R	14	57
10701557L	10701557R	15	57
10700370L	10700370R	3	70
10700470L	10700470R	4	70
10700570L	10700570R	5	70
10700670L	10700670R	6	70
10700770L	10700770R	7	70
10700870L	10700870R	8	70
10700970L	10700970R	9	70
10701070L	10701070R	10	70
10701170L	10701170R	11	70
10701270L	10701270R	12	70
10701370L	10701370R	13	70
10701470L	10701470R	14	70
10701570L	10701570R	15	70



WEIX

Woodworking Tool Series

高性能分体型合金钻

High performance split type alloy drill



Code		D Cutting Dia	L Total length
Left rotation	Right Rotation		
10601670 L	10601670R	16	70
10601770 L	10601770R	17	70
10601870 L	10601870R	18	70
10601970 L	10601970R	19	70
10602070 L	10602070R	20	70
10602170 L	10602170R	21	70
10602270 L	10602270R	22	70
10602370 L	10602370R	23	70
10602470 L	10602470R	24	70
10602570 L	10602570R	25	70
10602670 L	10602670R	26	70
10602770 L	10602770R	27	70
10602870 L	10602870R	28	70
10602970 L	10602970R	29	70
10603070 L	10603070R	30	70
10603170 L	10603170R	31	70
10603270 L	10603270R	32	70
10603370 L	10603370R	33	70
10603470 L	10603470R	34	70
10603570 L	10603570R	35	70
10603670 L	10603670R	36	70
10603770 L	10603770R	37	70
10603870 L	10603870R	38	70
10603970 L	10603970R	39	70
10604070 L	10604070R	40	70



WEIX Woodworking Tool Series

清底刀 Cleaning bottom router bit




Code	D Shank Dia	d Cutting Dia
1025610	6	10
1025616	6	16
1025622	6	22
1025625	6	25
1025632	6	32
1025806	8	6
1025808	8	8
1025810	8	10
1025812	8	12
1025814	8	14
1025818	8	18
1025820	8	20
1025710	12.7	10
1025716	12.7	16
1025722	12.7	22
1025725	12.7	25
1025732	12.7	32



WEIX Woodworking Tool Series

圆底刀 Round bottom router bit



Code	D Diameter	R Radius	d Depth	L Shank Length
10273919	3.96	1.98	5	6.35
10274723	4.76	2.38	7	6.35
10276331	6.35	3.17	5	6.35
10277939	7.96	3.96	6	6.35
10279547	9.52	4.76	6.5	6.35
10271579	15.9	7.95	10	6.35
10271995	19.05	9.52	12	6.35
10272211	22.2	11.1	13.5	6.35
10272512	25.4	12.7	15	6.35
102763127	6.35	3.17	5	12.7



WEIX[®]
TERY[®]



WEIX



Woodworking Tool Series

三刃倒角刀

Three flutes 90 degree drill chamfering bit



Code	D Dia	A Angle	Edge
30792363	6.3	90	Three edge
30792383	8.3	90	Three edge
307923104	10.4	90	Three edge
307923124	12.4	90	Three edge
30792314	14	90	Three edge
307923165	16.5	90	Three edge
30792318	18	90	Three edge
307923205	20.5	90	Three edge
30792325	25	90	Three edge
30792330	30	90	Three edge
30792335	35	90	Three edge
30792340	40	90	Three edge
30792345	45	90	Three edge
30792350	50	90	Three edge
30792360	60	90	Three edge





Code	Type	Size	Range
50110802	ER8	2	1.5-2.0
50110825	ER8	2.5	2.0-2.5
50110803	ER8	3	2.5-3.0
50110835	ER8	3.5	3.0-3.5
50110804	ER8	4	3.5-4.0
50110845	ER8	4.5	4.0-4.5
50110805	ER8	5	4.5-5.0
50111101	ER11	1	0.5-1.0
50111115	ER11	1.5	1.0-1.5
50111102	ER11	2	1.5-2.0
50111125	ER11	2.5	2.0-2.5
50111103	ER11	3	2.5-3.0
50111135	ER11	3.5	3.0-3.5
50111104	ER11	4	3.5-4.0
50111145	ER11	4.5	4.0-4.5
50111155	ER11	5	4.5-5.0
50111155	ER11	5.5	5.0-5.5
50111106	ER11	6	5.5-6.0
50111165	ER11	6.5	6.0-6.5
50111107	ER11	7	6.5-7.0
50111601	ER16	1	0.5-1.0
50111602	ER16	2	1.0-2.0
50111603	ER16	3	2.0-3.0
50111604	ER16	4	3.0-4.0
50111605	ER16	5	4.0-5.0
50111606	ER16	6	5.0-6.0
50111607	ER16	7	6.0-7.0
50111608	ER16	8	7.0-8.0
50111608	ER16	8	7.0-8.0
50111609	ER16	9	8.0-9.0
50111610	ER16	10	9.0-10.0
50112001	ER20	1	0.5-1.0
50112002	ER20	2	1.0-2.0
50112003	ER20	3	2.0-3.0
50112004	ER20	4	3.0-4.0
50112005	ER20	5	4.0-5.0

WEIX Woodworking Tool Series

夹头 Round bottom router bit



Code	Type	Size	Range
50112006	ER20	6	5.0-6.0
50112007	ER20	7	6.0-7.0
50112008	ER20	8	7.0-8.0
50112009	ER20	9	8.0-9.0
50112010	ER20	10	9.0-10.0
50112011	ER20	11	10.0-11.0
50112012	ER20	12	11.0-12.0
50112013	ER20	13	12.0-13.0
50112501	ER25	1	0.5-1.0
50112515	ER25	1.5	1-1.5
50112502	ER25	2	1.5-2.0
50112525	ER25	2.5	2-2.5
50112503	ER25	3	2.5-3.0
50112518	ER25	1/8"	3-3.175
50112504	ER25	4	3.0-4.0
50112505	ER25	5	4.0-5.0
50112506	ER25	6	5.0-6.0
50112507	ER25	7	6.0-7.0
50112508	ER25	8	7.0-8.0
50112509	ER25	9	8.0-9.0
50112510	ER25	10	9.0-10.0
50112511	ER25	11	10.0-11.0
50112512	ER25	12	11.0-12.0
50112513	ER25	13	12.0-13.0
50112514	ER25	14	13.0-14.0
50112515	ER25	15	14.0-15.0
50112516	ER25	16	15.0-16.0
50112517	ER25	17	16.0-17.0
50112518	ER25	18	17.0-18.0
50112519	ER25	19	18.0-19.0
50112520	ER25	20	19.0-20.0
50113202	ER32	2	1-2
50113203	ER32	3	2-3
50113231	ER32	1/8"	3-3.175
50113204	ER32	4	3-4
50113205	ER32	5	4-5
50113206	ER32	6	5-6
50113207	ER32	7	6-7
50113208	ER32	8	7-8
50113209	ER32	9	8-9

WEIX Woodworking Tool Series

扳手 wrench



Code	Diameter	Head thickness	Shank Length	Total Length	Apply
502112506	25	6	147	185	ER25UM
502113006	30	6	155	190	ER32UM
502114507	45	7	160	205	ER40UM
502115575	55	7.5	185	250	full back arbor C32
502117508	75	8	200	280	full back arbor C42

Code	Diameter	Total Length	Apply
5021216	26	160	ER16UM
5021220	30	160	ER20UM
5021225	37	210	ER25UM
5021232	45	250	ER32UM
5021240	58	290	ER40UM
5021250	70	315	ER50UM